



## **NOTIFIED BODY NUMBER 2821**

## **CERTIFICATE OF CONSTANCY OF PERFORMANCE** CERTIFICATE No. 2821-CPR-0133

This is to certify that UL International (Netherlands) B.V. did undertake the relevant AVCP procedures for the equipment identified below which was found to be in compliance with the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product, subject to any conditions attached hereto.

Manufacturer:	Polyseam Ltd
Address:	15. St. Andrews Road, Huddersfield, West Yorkshire, HD1 6SB, UK
Product Description:	A flexible pad or cord used to reinstate the fire resistance performance of wall and floor constructions where they have been provided with apertures for the penetration of insulated or uninsulated metallic pipes, cables, and pipes or cables into socket boxes. The Graft FR Putty is supplied precut to size with a peel off strip to both faces to prevent it from bonding materials other than for the desired application. The Graft FR Putty is installed by removing the peelable strips and wrapping the pad around the socket box where it penetrates the face of the wall and covering the back face of the box. When installing around service penetrations, the Graft FR Putty is installed by removing the peelable strips and wrapping the pad around the service where it penetrates the face of the wall or floor.
Model Reference:	GRAFT FR Putty
Places of production:	A/003
ETA(s)& EAD(s):	ETA-21/0343 issued on 09/04/2021 and EAD 350454-00-1104

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the above referenced standards, under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate will remain valid as long as neither the standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Date of 1<sup>st</sup> issue: Issue: 1 Date of re-issue: N/A

30<sup>st</sup> July 2021

Signed:

Issued by UL International (NL) B.V. Notified Body 2821.

Name:

Koen Schilleman Deputy Head of Notified Body

2821-CPR-0133.Docx 24-CP-F0854-Issue 2.0 © UL International (NL) B.V Page 1 of 2

UL International (Netherlands) B.V. Westervoortsedijk 60, 6827AT Arnhem, The Netherlands



# **EC CERTIFICATE**

## Schedule for certificate No. 2821-CPR-0133

#### **Detailed information sheet**

Model Reference: Type: Description: Key Performance parameters:	GRAFT FR Putty Firestop - Flexible pad or cord used as a penetration seal A flexible pad or cord used to reinstate the fire resistance performance of wall and floor constructions where they have been provided with apertures for the penetration of insulated or uninsulated metallic pipes, cables, and pipes or cables into socket boxes. The Graft FR Putty is supplied precut to size with a peel off strip to both faces to prevent it from bonding materials other than for the desired application. The Graft FR Putty is installed by removing the peelable strips and wrapping the pad around the socket box where it penetrates the face of the wall and covering the back face of the box. When installing around service penetrations, the Graft FR Putty is installed by removing the peelable strips and wrapping the pad around the service where it penetrates the face of the wall or floor. See ETA-21/0343, issued on 09/04/2021
Technical documentation:	
Harmonised Technical Specification:	ETA-21/0343, issued on 09/04/2021 and EAD 350454-00-1104

#### Limitations on the acceptance or use of the product(s):

Installation instructions

To be used in accordance with the supplier's installation instructions.

#### **Terms and Conditions:**

- 1. This certificate remains the property of UL International (NL) B.V, herein "UL NL", and will be withdrawn if any conditions attached to its issue are not complied with.
- 2. This certificate is issued subject to the Global Services Agreement (GSA) and CPR Service Terms.
- 3. Production is limited to the site(s) as listed, or detailed within the Technical documentation held by UL NL.
- 4. Any product change, production/process changes, etc. which may affect conformity shall be notified to UL NL.
- 5. This certificate is only valid for placing goods on the EU market.

### END OF CERTIFICATE

Date of 1 <sup>st</sup> issue:	30 <sup>st</sup> July 2021
Issue:	1
Date of re-issue:	N/A

Signed:

Issued by UL International (NL) B.V. Notified Body 2821.

Name:

Koen Schilleman Deputy Head of Notified Body