

Isogenopak®

Holder/Issued to

Klöckner Pentaplast Europe GmbH & Co. KG

Kraftwerkstrasse 1, 84508 Burgkirchen, Germany

Product description

Isogenopak® type 203/31 PVC-foil having a nominal thickness of 0,25-0,50 mm and a nominal density of 1,42 g/cm³. Surface lining for use on thermal pipe insulation of fire class A1_L alternativly A2_L-s2, d0.

Intended use

Surface lining for pipe installations insulated with mineral wool thermal insulation within buildings.

Trade name

Isogenopak®

Approval

The product satisfies the requirements set forth in chapter 8, 4 § 2 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR), issued by the National Board of Housing, Building and Planning.

Reaktion to fire class C_L-s3,d0 according to EN 13501-1 5:525

Associated documents

Control

The factory production control (FPC) is monitored by an independent inspection body. Control plan: Dated 2022-12-30, Inspection body: RISE


When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

Manufacturing place

Production control includes the following place: Klöckner Pentaplast Europe GmbH & Co. KG, Kraftwerkstrasse 1, 84508 Burgkirchen, Germany



Type Approval SC0073-15 | issue 3 | 2024-11-25 RISE Research Institutes of Sweden AB | Certification







Type Approval and decision on production control

Marking

The product is to be marked at the factory. The marking consists of a label/text on every packing supplied and includes:

Holder

Manufacturing place Product type designation Consecutive manufacture no./date of production Type approval number Boverket's registered trade mark RISE Accreditation number Inspection body Klöckner Pentaplast Europe GmbH & Co. KG Burgkirchen Isogenopak® type 203/31 No./date SC0073-15 **'** 1002 RISE

Basis for approval

Classification report PX27607-2 from SP and test report O100741-1238885 from RISE.

Comments

This type approval supersedes the previous type approval with the same number dated 2019-12-20.

Validity

Valid through 2029-11-24.

The validity of this type approval can be verified at RISE homepage.

The validity of this type approval expires when the type approved product with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Stefan Coric

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.

Type Approval SC0073-15 | issue 3 | 2024-11-25 RISE Research Institutes of Sweden AB | Certification